

verae-zapier-middleware/routes/authRoutes

****Package:**** verae-zapier-middleware

****Source:**** packages/verae-zapier-middleware/src/routes/authRoutes.js

****Lines:**** 58

What this module is

Implementation module in verae-zapier-middleware. The tables below are extracted from the source (signatures + JSDoc).

Exports

authRoutes

Types / interfaces / classes

None extracted.

Functions

No top-level functions extracted.

Methods (class / object)

· Name · Parameters ·

· ----- · ----- ·

· asyncHandler · async (req, res ·

· asyncHandler · async (req, res ·

What it imports / requires

- express
- ../errors.js
- ../services/authService.js
- ../store/usage.js
- ../store/tenants.js

- ../lib/tokens.js

Call graph (identifiers invoked)

post, asyncHandler, async, loginWithApiKey, json, loginWithCredentials, get, extractBearerToken, validateSession, getTenant, getUsageSummary

Each identifier is a call site in this file. Follow the import list to see the defining module; open that module's MD for parameter and return types.

Return values (how to read this)

- HTTP route handlers return Express res.json(...) bodies (see route docs).
- Zapier perform functions return a **single object** (creates) or an **array** (triggers/searches).
- Pricing functions return integer **cents** on Quote.totalCents.