

verae-zapier-middleware/middleware/rateLimit

****Package:**** verae-zapier-middleware

****Source:**** packages/verae-zapier-middleware/src/middleware/rateLimit.js

****Lines:**** 57

What this module is

Implementation module in verae-zapier-middleware. The tables below are extracted from the source (signatures + JSDoc).

Exports

resetRateLimitWindows, rateLimit

Types / interfaces / classes

None extracted.

Functions

· Name · Parameters · Param types (JSDoc) · Returns · Calls (same file / helpers) ·

· ----- · ----- · ----- · ----- · ----- ·

· resetRateLimitWindows · (none) · — · void · see Call graph ·

Methods (class / object)

· Name · Parameters ·

· ----- · ----- ·

· next · (none) ·

What it imports / requires

- ../errors.js
- ../store/tenants.js
- ../debug/logger.js

Call graph (identifiers invoked)

createDebugger, windows, resetRateLimitWindows, clear, asyncHandler, async, next, getTenant, resolveLimits, now, get, set, debug

Each identifier is a call site in this file. Follow the import list to see the defining module; open that module's MD for parameter and return types.

Return values (how to read this)

- HTTP route handlers return Express `res.json(...)` bodies (see route docs).
- Zapier perform functions return a **single object** (creates) or an **array** (triggers/searches).
- Pricing functions return integer **cents** on `Quote.totalCents`.