

verae-zapier-middleware/services/entitlementService

****Package:**** verae-zapier-middleware

****Source:**** packages/verae-zapier-middleware/src/services/entitlementService.js

****Lines:**** 161

What this module is

Implementation module in verae-zapier-middleware. The tables below are extracted from the source (signatures + JSDoc).

Exports

checkEntitlement, recordUsage

Types / interfaces / classes

None extracted.

Functions

· Name · Parameters · Param types (JSDoc) · Returns · Calls (same file / helpers) ·

· ----- · ----- · ----- · ----- · ----- ·

· isUnlimited · value · — · unknown · see Call graph ·

· quotaExceeded · { limit, used, allowOverage } · — · unknown · see Call graph ·

· checkEntitlement · tenantId, action, { amount = 1 } = {} · tenantId: string, action: 'timestamp' · 'verify' · 'batch_timestamp' · { tenant: object, limits: object, usage: object — } · see Call graph ·

· recordUsage · tenantId, action, { amount = 1 } = {} · tenantId: string, action: string · void · see Call graph ·

What it imports / requires

- ../config.js
- ../errors.js
- ../store/tenants.js
- ../store/usage.js
- ../debug/logger.js

Call graph (identifiers invoked)

createDebugger, isUnlimited, quotaExceeded, checkEntitlement, getTenant, resolveLimits, getUsage, debug, recordUsage, incrementUsage

Each identifier is a call site in this file. Follow the import list to see the defining module; open that module's MD for parameter and return types.

Return values (how to read this)

- HTTP route handlers return Express `res.json(...)` bodies (see route docs).
- Zapier perform functions return a **single object** (creates) or an **array** (triggers/searches).
- Pricing functions return integer **cents** on `Quote.totalCents`.