

zappier/db/invoice-repo

```
**Package:** zappier
**Source:** packages/zappier/src/db/invoice-repo.ts
**Lines:** 120
```

What this module is

Implementation module in zappier. The tables below are extracted from the source (signatures + JSDoc).

Exports

SqliteInvoiceRepo

Types / interfaces / classes

```
· Kind · Name ·
· ----- · ----- ·
· class · SqliteInvoiceRepo ·
```

Functions

No top-level functions extracted.

Methods (class / object)

```
· Name · Parameters ·
· ----- · ----- ·
· constructor · private db: Database.Database ·
· save · invoice: Invoice ·
· get · id: string ·
· list · filter: { customerId?: string; period?: string; status?: Invoice['status'] } ·
· nextSequence · period: string ·
```

What it imports / requires

- better-sqlite3

- ../invoicing

Call graph (identifiers invoked)

constructor, exec, invoices, invoice_lines, save, prepare, run, get, toInvoice, list, push, join, all, map, nextSequence

Each identifier is a call site in this file. Follow the import list to see the defining module; open that module's MD for parameter and return types.

Return values (how to read this)

- HTTP route handlers return Express res.json(...) bodies (see route docs).
- Zapier perform functions return a **single object** (creates) or an **array** (triggers/searches).
- Pricing functions return integer **cents** on Quote.totalCents.